

U.S. ARMY CHEMICAL AND BIOLOGICAL DEFENSE COMMANI

ERDEC-TR-452

TOXICOLOGICAL EVALUATION/VERIFICATION
OF DECONTAMINATION PROCEDURES/PRODUCTS
FROM ALTERNATIVE TECHNOLOGIES
FOR CHEMICAL DEMILITARIZATION:
DEPARTMENT OF TRANSPORTATION (DOT) TEST RESULTS
FOR A MUSTARD (HD) WASTESTREAM

James M. Manthei Ruth A. Way Dean M. Bona Bernardita I. Gaviola Kenneth P. Cameron

RESEARCH AND TECHNOLOGY DIRECTORATE

19980508 051

Approved for public release; distribution is unlimited.

March 1998



DTIC QUALITY INSPECTED &

Disclaimer

The findings in this report are not to be construed as an Official Department of the Army position unless so designated by other authorizing documents.

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

AGENCY USE ONLY (Leave Blank)		3. REPORT TYPE AND	
	March 1998		Feb - 97 Mar
4. TITLE AND SUBTITLE Toxition of Decontaminat	cological Evaluation	n/Verifica-	5. FUNDING NUMBERS
Alternative Technolo	gioe for Chemical D	emilitariza-	None
Alternative Technolo	Transportation (Dem	\ Tec+	None
tion: Department of	Transportation (DOI	, 1636	
Results for a Mustar	d (HD) wastestream		
6. AUTHOR(S)			-
Manthei, James H.; W	ay, Ruth A.; Bona,	Dean M.;	
Gaviola, Bernadita I	.; and Cameron, Ken	neth P.	
7. PERFORMING ORGANIZATION NA	AME(S) AND ADDRESS(ES)		8. PERFORMING ORGANIZATION
	/	TDC MD	REPORT NUMBER
DIR, ERDEC, ATTN: SC	BRD-RTL/SCBRD-RTB,	APG, MD	ERDEC-TR-452
21010-5423	·		711/200 111 402
9. SPONSORING/MONITORING AGE	NCY NAME(S) AND ADDRESS(ES)		10. SPONSORING/MONITORING
	, , , , , , , , , , , , , , , , , , , ,		AGENCY REPORT NUMBER
		•	
			•
11. SUPPLEMENTARY NOTES			
		-	
12a. DISTRIBUTION/AVAILABILITY S	TATEMENT		12b. DISTRIBUTION CODE
		on is	
Approved for public	release; distributi	.011 15	
unlimited.			
13. ABSTRACT (Maximum 200 words,	, , , , , , , , , , , , , , , , , , ,		
The Alternative Tech	nology Program was	tasked by Cong	ress to research for an
acceptable procedure	e other than inciner	ation to reduc	e the U.S. Army's
mustard (HD) stockpi	.le to non-toxic/haz	ardous waste.	The search for this
best destruction met	hod has resulted in	the selection	of a HD/water reaction
in which HD is react	ed with 90 °C water	to form water,	thiodiglycol, and
salts. This reaction	on can then be biode	graded and dis	posed of. To complete
the acceptance for t	his decontamination	method, anima	l tests were conducted
according to DoT (CF	R 49) required proc	edures in rats	(orally) and rabbits
(dermally). The rea	cted HD/Water by-pr	coducts produce	d no deaths in either
species, and there w	vere no observable t	the Dor regul	nd no dermal irritation ations, this material is
in rabbits. Therefore	rial for nackaging r	ournoses hut t	hese final results must
also be confirmed by	the inhalation row	ite in rats	noo zanaz zooazoo maoc
arso be contrimed by	, the immaration for		
14. SUBJECT TERMS			15. NUMBER OF PAGES
Alternative Technolo			
HD/water reaction pr	coducts Must	ard (HD)	58
Dermal irritation		tests	16. PRICE CODE
Dermal toxicity	CFR	49	
Oral toxicity	Rat	40. OFOURITY OF ADDITIO	ATION 20 LIMITATION OF ABSTRACT
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFIC OF ABSTRACT	ATION 20. LIMITATION OF ABSTRACT
UNCLASSIFIED	UNCLASSIFIED	UNCLASS	IFIED UL

Blank

QUALITY ASSURANCE

This study, conducted as described by Protocol 97-314, was examined for compliance with Good Laboratory Practices as published by the U. S. Environmental Protection Agency in 40 CFR Part 792 (effective 17 Aug 1989). The dates of all inspections and the dates the results of those inspections were reported to the Study Director and management were as follows:

Phase inspected	<u>Date</u>	Date Reported
Data and Final Report	20 Jun 97	20 Jun 97

To the best of my knowledge, the methods described were the methods followed during the study. The report was determined to be an accurate reflection of the raw data obtained.

DENNIS W. JOHNSON

Quality Assurance Coordinator

Research and Technology Directorate

SCBRD-RTL (1p)

MEMORANDUM FOR SCBRD-RTL (J. Manthei)

SUBJECT: Temperature and Humidity Variation in Building E3300, 2 Mar 97

- 1. During the period in question, the animals in these rooms experienced a slight variance from the recommended parameters for temperature (rats) and humidity (rabbits). These animals were monitored daily and no clinical signs were observed. At the completion of the study, all examinations of sentinel animals and laboratory analyses showed no apparent affects.
- 2. It is my opinion that these fluctuations in environmental conditions had no impact on this study (protocol number 97-314).
- 3. The point of contact is the undersigned, x5-3431.

NEWTON H. FOSTER, IV.

MAJ, VC

Team Leader, Vet Spt

Preface

This study was authorized under the Alternative Technology Program, and work began in February 1997 and was completed in March 1997. The experimental data are contained in laboratory notebook 97-0011.

In conducting the research described in this report, the investigators adhered to the "Guide for the Care and Use of Laboratory Animals," Institute of Laboratory Animal Resources, Commission on Life Sciences, National Research Council, 1996. These investigations were also performed in accordance with requirements of AR 70-18, Laboratory Animals, Procurement, Transportation, Use, Care, and Public Affairs. These studies were conducted and records were maintained according to Good Laboratory Practices (GLP) standards. This work was done under approved ERDEC Laboratory Animal Use and Review Committee Protocol 97-314, approved 2 December 1996.

The use of either trade or manufacturers' names in this report does not constitute an official endorsement of any commercial products. This report may not be cited for purposes of advertisement.

This report has been approved for public release. Registered users should request additional copies from the Defense Technical Information Center; unregistered users should direct such requests to the National Technical Information Service.

<u>Acknowledgments</u>

The authors acknowledge the Veterinary Support Team, Research and Technology Directorate, for their assistance in procuring and caring for the animals, conducting the gross necropsies on animals, and preparing the tissues and blood samples for shipment to the pathologists.

Robert S. Lindsay and Fred Baldauf, the Design Evaluation Laboratory, are thanked for preparing and supplying the test sample evaluated. The Analytical Chemistry Team is thanked for analyzing and providing the analytical data for the samples tested.

Estrella M. Cacal is thanked for preparing the draft manuscript for processing.

Blank

CONTENTS

1.	INTRODUCTION
2.	MATERIALS
2.1 2.2 2.3	Rats
3.	METHODS AND RESULTS
3.1 3.2 3.3 3.3.1 3.3.2	Oral Test Procedures in Rats
4.	DISCUSSION
5.	CONCLUSIONS
	LITERATURE CITED
	APPENDIXES
	A. ANALYSIS DATA FOR HD/WATER REACTION BY-PRODUCT
	B. SEROLOGICAL AND BOTH GROSS AND HISTOPATHOLOGICAL DATA FOR QUALITY ASSURANCE/QUALITY CONTROL RATS AND RABBITS

TABLES

1	Body Weights of Sprague-Dawley Rats Used in DoT Oral Testing
2	Body Weights of New Zealand White Rabbits Used in DoT Dermal Testing
3	Mean Body Weights in Kilogram (Kg) of Rats and Rabbits Following Dosage With HD/Water Reaction By-Products-M12-D1-102-HW-0427
4	Day-to-Day Climatic Records for Testing Facility, Bldg E3300

TOXICOLOGICAL EVALUATION/VERIFICATION OF DECONTAMINATION PROCEDURES/PRODUCTS FROM ALTERNATIVE TECHNOLOGIES FOR CHEMICAL DEMILITARIZATION: DEPARTMENT OF TRANSPORTAION (DOT) TEST RESULTS FOR A MUSTARD (HD) WASTESTREAM

1. INTRODUCTION

Public Law 99-145 and its amendments direct the Army to dispose of its stockpile of military chemical weapons. Although incineration was the method of destruction, Congress requested that the Army investigate the potential for alternative disposal procedures because of public concern.

The agent mustard (HD) - Bis(2-chloroethyl) sulfide stockpile is one of the major stockpiles of concern. This material in its pure state is a severe vesicating agent that can be fatal by inhalation and percutaneous routes of entry. It is considered to be a moderately volatile agent with a low solubility in water at 22°C.² Although incineration is known to be a very effective and safe method for the destruction of mustard, it was deemed necessary to investigate other alternative methods. These alternative destruction methods were to destroy HD quickly, not create excessive additional bulk residues, be relatively inexpensive, and not create any undue hazard to the workforce and/or the communities surrounding the disposal/storage sites.

Of the alternative disposal methods reviewed/studied/ tested for agent HD, one procedure has been selected for final approval. This method is simply referred to as neutralization, followed by biodegradation. In this procedure, a volume of water is heated to 194 °F (90 °C) and 4 wt% HD is fed into it. This reaction produces 90% thiodiglycol and 2 wt% hydrochloric acid. Once the reaction is complete, the pH is adjusted to +12 with the addition of sodium hydroxide. This procedure reduces the HD to < 200 ppb. The hydrolysate is then released from the toxic reaction cubicle and fed to a falling film evaporator. In the evaporator, the volatile organic carbon compounds are stripped out, condensed, and combined with the water recycle stream for subsequent destruction in an ultraviolet oxidation unit.

The remaining hydrolysate is fed to a sequencing batch bioreactor, which consumes more than 90% of the organic carbon, including 99% of the thiodiglycol. The resulting liquid effluent is filtered and recycled through an evaporator. The evaporator bottoms consist of salt brines that are mixed with solidifiers

and disposed of in a landfill. The waste biomass from the sequencing batch bioreactors is fed to an aerobic digester to reduce the volume, dried in a filter press, and then disposed of commercially. Although these two solid wastes have no hazardous constutuents, Maryland law requires that they be treated as hazardous wastes. Approximately 6 lb of solid waste are produced for each pound of HD destroyed.

The Maryland Citizens Advisory Commission, the National Research Council, and Congress have supported this alternative destruction process for HD.

To transport the waste products off post to landfill sites, the destruction products from the HD neutralization process must be tested according to Federal Regulatory requirements known as the Department of Transportation (DOT) and Code of Federal Regulations 49 (CFR 49) Test. This DOT test requires that two groups of albino rats be tested. One group of albino rats is dosed by the oral route, and a second group is dosed by the inhalation route. A group of rabbits is dosed by the dermal route. The criteria states that if one-half or more of the test animals die, the residue is a greater toxic hazard than category III (shipping category) for shipping purposes. Category III is the least restrictive shipping category. These three tests are required to assess the toxic hazard of the HD wastestream for transportation purposes of the wastestream. These tests also support the original requirements for the delisting of chemical surety materials for Maryland as described in several U.S. Army Chemical Research, Development and Engineering Center (CRDEC) [now known as the U.S. Army Edgewood Research, Development and Engineering Center (ERDEC)] technical reports.5,6

This report summarizes the procedures and test results following the oral dosage of rats and dermal dosage of rabbits with the liquid HD wastestream.

The inhalation test results will be presented in a separate test report.

2. MATERIALS

2.1 Rats.

A shipment of 18 young adult Sprague-Dawley rats (9 males, 9 females) arrived on 12 Feb 97 from Charles River Laboratories (Raleigh, NC). Upon arrival, these animals were placed on quarantine in Building E3222, Room 107.

Rats were housed individually in large polycarbonate cages (8 in. x 10 in. x 18 in.), with a stainless-steel wire top covered with another filtered plastic top. Beta hardwood chips were used for bedding. The cages were changed on a Mondays, Wednesdays, and Fridays. Certified rodent chow was supplied ad libitum, as was filtered house water. The water was supplied in Nalgene plastic bottles with an attached stainless-steel sipper tube. Water and feed were supplied/checked daily. Animals were observed at least twice daily during quarantine and while on test, except on weekends/holidays when they were observed once per day. Body weights were recorded upon arrival and just prior to testing, as well as at 7 and 14 days after dosage.

As part of the quarantine procedure, two rats were necropsied and also had a complete serology health check 24-hr after arrival. Two additional rats were similarly processed at the end of the 14-day post experimental observation.

All rats that survived the test were euthanatized with inhaled CO_2 and incinerated.

2.2 Rabbits.

Eighteen young adult (9 male and 9 female) New Zealand White (NZW) rabbits were procured from Covance (Denver, PA). Upon arrival at ERDEC, they were immediately placed on quarantine in Building E3222, Room 106. The rats were housed in single unit stainless-steel cages held in a 9-unit stainless-steel self-flushing rack. Filtered house water was supplied via a nipple at the upper-rear of each cage. Certified rabbit chow was supplied on the following schedule per instructions from the rabbit breeder:

Day 1 (First 12-24hr) - No Food
Day 2 - 25 g
Day 3 - 50 g
Day 4-6 - 75-100 g
Day 7 (End of study) - 125-150 g

This restricted feeding schedule was maintained to control/prevent a disease known as mucoid enteropathy. This disease is of unknown etiology but is common following shipping stress and a change of diet and occurs mainly in young-adult rabbits.

The quarantine facility was cleaned daily as were the cage racks. The cage racks were automatically flushed to remove fecal and urine waste on a 15-30 min cycle.

Two rabbits were necropsied 48-hr after arrival and both a complete serological check and gross necropsy were done. Two additional rabbits were also handled similarly after the test and 14-day observation were completed. All rabbits that survived the test and observation period were humanely euthanatized with an intravenous administration of Fatal Plus (Pentobarbital - 89 mg/kg) and incinerated.

Rabbits were weighed upon arrival, at test time, and at 7 and 14 days during post test observation. Rabbits were required to weigh 2.3-3.0 kg at the initiation of the test.

2.3 Test Chemical.

A 5-gal black steel, sealed metal bucket was received on 18 Feb 97 from the Design Evaluation Laboratory (DEL), ERDEC. A 1-L sample, provided by DEL, was contained in a glass bottle and was identified as sample #M12-D1-102-HW-0427. This particular aliquot was a portion of a 12-L Mettler HD/H_2O Bench-Scale reaction that they began on 11 Feb 97. The HD used in the reaction was procured on 30 May 96 and identified as TC #D94102, HD-S-5191-CTF-N-8; the water used was tap water from Building E3510, Room 32.

DEL personnel added HD over 30 min to 90 °C water, and the pH reached 0.51 and was adjusted with 18% NaOH to final pH of 12.2. Sample M12-D1-102-HW-0427 was withdrawn at 150 min after the last HD was fed to the reaction. Analysis for residual HD was done by the modified Alternate Technology Program (ATP) method HN-01 and no HD was detected at 0.004 ppm detection limit. The 1-L sample was 90-95% clear liquid, with 5-10% bottoms (salts) of brownish color when supplied to the Toxicology Team for toxicity testing. Additional information about this test sample is found in Appendix A.

METHODS AND RESULTS

3.1 Oral Test Procedures in Rats.

Rats were prepared for oral dosage (gavage) by weighing them the afternoon prior to testing to assure that they all weighed between 200 and 300 g. After weighing, the food was removed from each rat (1500 hr); however, water was retained until just prior to dosage. At test time, each rat was reweighed on a calibrated Mettler balance to the nearest gram. Each rat was then identified by ear tag, sex, and a black ink test number was placed on its tail. The oral gavage was done by gently, but firmly holding each rat in a leather gloved hand (left) so that

the head was supported in an upright position. The gavage needle (16-gauge, 3½-4 in. long stainless-steel with a bulbular end) was attached to the dosage syringe and then carefully inserted into the esophagus and down to the level of the stomach. The test substance was then injected directly into the stomach and the rat was returned to its home cage and held off food and water for 6 hr. During this time, each animal was observed for the onset of any observable toxic signs. Because HD or its breakdown products (thiodiglycol, etc.) would be the possible toxic products, we would expect to see toxic signs of gastric distress and possibly diarrhea.

After 6 hr, food and water were returned to the rats. Observation continued for the remainder of the 14-day test, twice per day and once per day on weekends.

3.2 Dermal Test Procedures in Rabbits.

Young adult NZW rabbits of both sexes (6 each sex) were prepared for dermal testing the day prior to the test. Each rabbit was checked to be sure it was in the proper test weight range (2.3-3.0 kg). Its dorsal hair was then gently clipped, using first an A-2 coarse blade attached to small animal electric clippers. A second clipping followed immediately using a #40 blade. This blade was a surgical-preparation blade that, by specification, clips hair to 1/130th of an inch. After the clipping procedures, each rabbit was checked for use suitability (no scratches, bite marks, etc.) and then it was returned to its home cage. The next day (morning) each rabbit was weighed to the nearest 0.01 kg on a calibrated Toledo balance. Each rabbit was then placed into an aluminum stanchion that securely held the rabbit with of an adjustable neck collar. Each stanchion had solid sides to prevent the animal from contacting its test mates. Rabbit ears were held together, folded forward in half and taped with 1½ to 2 in. masking tape. Taping the ears would prevent their contact with the test substance and would also serve as a place to record the animals' test number. The test site was identified and outlined with a back ink magic marker. A twolayer, thick piece of surgical gauze was taped to the skin with hypo-allergenic tape; and a polyethylene film semi-occlusive cover was taped over the gauze. Each animal was dosed with 1,000 mg/kg of the test substance. The substance was deposited on the skin under the gauze, which helped retain the liquid at the test The test site was then covered with the polyethylene film and the film was taped to the skin.

This secured test patch/sample was left intact for 24 hr. During the test, observations were continuous until 1530 hr, with additional checks made at 1700, 1800, and 2000 hr

and again the next morning at 0700 until the test was complete (24 hr). After 24 hr, each rabbit was removed from the testing hood and placed into hood #3 (Building E3300, Room 26). The semi-occlusive polyethylene film and gauze patch were removed and placed into a glass jar. The residual test substance (residue) was blotted dry with toweling and the animal was examined for dermal irritation and/or toxic signs. Each animal's back was then rinsed with lukewarm tap water, and blotted dry. The rabbit was then returned to its home cage. Animals were observed at least twice daily for delayed toxic effects. Body weights were taken at 7 and 14 days after usage. After the 14-day weighing, each animal was humanely euthanatized with an intravenous administration of Fatal-Plus (89 mg/kg pentobarbital) and incinerated.

3.3 Test Results.

3.3.1 Results of the Rat Oral Toxicity Test.

The oral gavage of a group of 12 young adult Sprague-Dawley rats was accomplished on 19 Feb 97. Each rat was weighed to the nearest whole gram on a calibrated Mettler balance. test substance was initially weighed (1.0 mL aliquot) and its density determined as 1.0203 gm/mL.* The dosage per rat was to be 500 mg/kg so the dosage was adjusted for the density to 0.490 mL/kg. Rats were weighed just prior to dosage and the dosage volume per rat was calculated (see Table 1). A 16-gauge stainless-steel bulbular feeding tube was attached to a 1.0 mL glass syringe. The desired dosage volume was loaded, the syringe cleared of air bubbles, the feeding tube was carefully inserted into the rats esophagus to the level of the stomach, and the test substance administered. Rats had been fasted overnight prior to dosage and food and water were withheld for 6 hr after dosage to permit maximum uptake of the HD/water reaction by-products. Because the HD/water reaction product was biphasic, it was agitated just prior to dosage to assure that both the liquid and solids were equally dispersed in the injectant. The aliquot was agitated between each dosage to assure equal distribution of the test substance for each animal.

After dosage, the 12 rats (6 males, 6 females) were observed for the onset of toxic signs until 1500 hr, and again at 1700, 1800, and 2000 hr, and again the next morning. No toxic signs were observed during the initial 24 hr and all rats

^{*-} The density of the HD/water product was later determined to be 1.0223 g/mL ± 0.01% by the Analytical Chemistry Team. The toxicity data are done using our value of 1.0203. The slight variance at the thousands place would not change the actual dosage volumes given to rats or rabbits in our study.

appeared to retain normal activity. Observations continued twice daily through 14 days except on weekends when they were done once per day.

Table 1 lists body weights in killograms for all rats tested.

Table 1. Body Weights of Sprague-Dawley Rats Used in DoT Oral Testing

Test ID Number	Sex	Ear Tag	12 Feb 97 Initial wt/kg	18 Feb 97 Pre-Test wt/kg (Prefast)	19 Feb 97 Test wt/kg (Fasted)	26 Feb 97 7-Day	5 Mar 97 14-Day
1	ď	001	.190	.252	.230	.312	.350
2	ď	002	.195	.255	.240	.314	.350
3	o ⁿ	003	.185	.255	.235	.320	.380
4	ď	004	.190	.255	.232	.313	.350
5 .	ď	005	.191	.250	.235	.305	.350
7	ď	007	.183	.250	.230	.305	.352
10	ę	010	.189	.210	.200	.239	.245
11	ę	011	.178	.228	.210	.232	.231
13	ę	013	.175	.210	.200	.215	.222
16	ę	016	.183	.220	.200	.237	.250
18	Р	018	.183	.220	.200	.242	.260
14	ę	014	.180	.210	.197	.227	.235

Rats lose weight rapidly when fasted due to their high metabolic rate. Also, male rats gain weight at a faster rate than do female rats. Therefore, having rats of the same age does not permit the investigator to match body weights.

During the 14-day test, all rats remained healthy with no observable toxic effects from the HD/water by-products. All 12 rats gained weight from their pre-test weight.

3.3.2 Results of the Rabbit Dermal Toxicity Test.

Following their 7-day quarantine, a group of 12 NZW rabbits (6 males, 6 females) were tested to determine the dermal toxicity hazard of the HD/water reaction identified as M12-01-102-HW-0427. Each rabbit was dosed with 1,000 mg/kg of the HD/water product. Actual dosage volume was 0.98 mL/kg as adjusted for the density of the product. Rabbits were held in stanchions and a two-layer thick piece of surgical gauze was taped to the skin. This gauze was 4 x 8 in. and the four outer edges were taped to the rabbits' back with hypo-allergenic tape. The dosage of HD/water product was then applied, and the entire test site was then sealed with a semi-occlusive polyethylene This film was also taped to the skin using heavy duty refrigeration duct-tape. This exposure lasted 24 hr and rabbits were held inside a filtered fume hood that had a face velocity of 100 Lfpm ± 10%. The climatic conditions (Room 26, Bldg E3300) were to be 75 \pm 2 °F and the relative humidity (RH) was to be 50 \pm 20%. Actual recorded climatic conditions were 75.5 °F and 42% RH at the start of the exposure. After 24 hr, each rabbit was removed from the exposure hood and its protective occlusive covering and gauze pad were removed. Each rabbit's back was checked for dermal irritation and toxic signs and then rinsed with lukewarm tap water, blotted dry, and again checked. At 24 hr, none of the 12 rabbits showed any dermal irritation or had any toxic signs. Each rabbit was returned to its home cage and observed for the remainder of the 14-day test. Twice per day, observations were made except on weekends when observations were one/day. At 24 hr, all rabbits, when returned to their home cages, began to eat and ate their entire 150 g food allotment. Body weights of the 12 rabbits tested are listed in Table 2 and include pre-quarantine weights, pre-dose weights, and 7- and 14-day post exposure weights.

4. DISCUSSION

The U.S. Army's stockpile of HD was originally scheduled to be destroyed by incineration. However, public concern for safety resulted in Congress directing the Army to search for an effective alternate destruction method other than incineration. Over the past 3+ years, chemists and engineers have worked together to develop an alternative procedure for the safe destruction of HD agent. This search has culminated in the accepted policy that HD will be destroyed by reacting it with 90 °C water, neutralizing the acidic reaction products with NaOH, and then biodegrading the by-products for final resolve.

Table 2. Body Weights of New Zealand White Rabbits Used in DoT Dermal Testing

Test ID Number	Sex	Ear Tag	11 Feb 97 Initial wt/kg	19 Feb 97 Test wt/kg	26 Feb 97 7-Day wt/kg	5 Mar 97 14-Day wt/kg
1	o ^r	64230	2.58	2.60	2.82	2.96
2	ď	63215	2.44	2.39	2.60	2.65
4	ď	63210	2.68	2.60	2.65	2.62
5	♂	63221	2.60	2.65	2.84	2.91
6	o ^r	63217	2.52	2.60	2.78	2.77
8	ď	63213	2.73	2.65	2.83	2.94
10	\$	63208	2.66	2.60	2.76	2.98
11	2	63209	2.39	2.50	2.70	2.76
13	P	63223	2.59	2.80	2.90	3.02
14	P	63207	2.59	2.55	2.72	2.86
17	\$	63211	2.49	2.50	2.66	2.80
18	Ş	63205	2.73	2.60	2.76	2.94

Toxicity tests conducted at the U.S. Army Edgewood Research, Development and Engineering (ERDEC) in 1996,7 had indicated that HD/water reaction by-products did not produce observable dermal irritation in the rabbit or any other observable toxic signs/effects following a 24-hr dermal contact with 1000 mg/kg of the decontaminated HD/water. Further refinement of the decontamination techniques and a better mixing apparatus, adapted to a 12-L Mettler Bench Scale reactor, provided the final HD/water product that was tested in rats (oral) and rabbits (dermal) according to Federal Guidelines as established in Code of Federal Regulations 49 (CFR 49).4 In recent laboratory tests at ERDEC, a group of 12 young adult Sprague-Dawley rats (6 each sex) were dosed orally with 500 mg/kg of the HD/water product (M12-D1-102-HW-0427) and no toxic signs were observed over the 14-day evaluation. These animals, at no

time, developed any loss of appetite, change in fecal output, or change in observable activity. Body weights were monitored at 7- and 14-days after dosage and they all gained weight at a normal rate.

In addition to the rat oral tests, ERDEC also tested a group of young adult (NZW) rabbits (6 each sex) to determine the dermal effects of the HD/water product. A dose of 1,000.0 mg/kg HD/water product was placed on the skin, semi-occluded for 24 hr. The rabbits were observed for a total of 14-days. There were no toxic signs and no dermal irritation observed in any of the 12 rabbits.

The breakdown products of this HD/water reaction contained about 96% water, 3+% thiodiglycol, and the remainder was various other organics (conversation with Robert Lindsay, Design Evaluation Laboratory, January 1998). Although this byproduct had a pH of 12.2, it did not cause dermal irritation or observable gastric distress in rabbits or rats. With test animals undergoing oral and dermal tests, if the test substance in this instance HD/water reaction by-products produced any gastro-intestinal effects, the subjects (animals) could be expected to refuse food intake and thereby lose weight. This effect was not observed in either rats or rabbits as evidenced by their body weights (See Table 3).

Other areas of concern (in addition to testing procedures) during a test as described in this report are the maintenance of climatic conditions during the 14-day procedure, as well as the health status of the test and Quality Assurance (QA)/Quality Control (QC) (Sentinel) animals.

Table 4 lists the day-to-day climatic conditions for the rodent room (Room 28) and the rabbit holding room (Room 32) in Bldg E3300. The day-to-day variables in the temperature and relative humidity were controlled within test parameters with the exception of 2 Mar 97 [temperature 1° low in the rat room (Room 28), and in the rabbit room (Room 32)], where the humidity ran 5% This particular day was a very warm day (72 °F) and because the building chillers were not operational, the control system was not able to completely regulate the climate. minor temporary temperature/humidity variance would not impact on the test results. The QA/QC (Sentinel) animals were maintained in the same rooms as the test animals at all times. The results of their serology workups and the gross and histopathology indicated no health problems. Therefore, the test animals would not have suffered any problems from the one-day variance in climatic conditions. The serology and the gross and histopathology results for rats and rabbits are located in Appendix B and indicate all normal tissues.

Table 3. Mean Body Weights in Kilogram (Kg) of Rats and Rabbits Following Dosage with HD/Water Reaction By-Products -M12-D1-102-HW-0427

				of Test Ani	
Species	Sex	Arrival wt/kg	Pre-Test wt/kg	Post-Test wt/kg 7-Day	Post-Test wt/kg 14-Day
	Test Animals		,		
Rats	Males	x-0.187 ^a S.D0.006 ^b	0.253 0.005	0.312 0.006	0.355 0.012
	Females	x-0.180 ± S.D0.005	0.215 0.007	0.232 0.010	0.241 0.014
	Controls OA/OC	<u>.</u>			•
	Males	≅ ^c ± S.D		0.313 0.018	0.360 0.025
	Females	⊼ S.D		0.225 0.006	0.228 0.011
	Test Animals			·	
Rabbits	Males	₹-2.63 ± S.D0.11	2.53 0.10	2.75 0.10	2.80 0.15
	Females	≅-2.49 ± S.D0.16	2.53	2.75	2.89 0.10
	Controls OA/OC		·		
	Males	⊼ ± S.D		2.92	2.90 0.07
	Females	≅ ± S.D		2.69 0.13	2.78 0.11

 $[\]frac{a}{b}$ - \bar{x} Mean body weight in kg b - Standard deviation

c - No data at this time frame

Table 4. Day-to-Day Climatic Records for Testing Facility - Bldg E3300

Date		Room 28 Temp °F		Room 32 Temp °	
Feb	19	70.0ª	49.0 ^b	75.5	42.0 (Room 26)*
100	20	70.0	45.0	65.0°	52.0°
	21	70.0	46.0	65.0	55.0
	22	70.0	45.0	65.0	55.0
	23	70.0	45.0	65.0	50.0
	24	69.7	38.0	64.0	50.0
	25	70.6	34.0	65.0	40.0
	26	71.8	40.0	64.0	52.0
	27	70.0	60.0	65.0	70.0
	28	70.0	47.0	65.0	47.0
Mar	1	70.0	46.0	70.0	45.0
	2	65.0**	62.0	66.0	75.0**
	3	69.0	37.0	65.0	65.0
	4	70.0	45.0	65.0	55.0
	5	69.7	41.0	64.0	60.0

⁻ Rabbit test facility (Room 26, Bldg E3300) was to be 75 ± 2 °F and 30-70% RH - these rabbits were in Room 26 for 24-hr, the length of the dermal "DoT" test exposure.

5. CONCLUSIONS

It is concluded from the toxicological evaluation of this mustard/water reaction by-product (M12-D1-102-HW-0427) that:

• 3.8% HD, when reacted with 90 °C water as described in this report and the supporting analytical

a - Room 28, Bldg E3300 (rat room) temperature was to be 70 \pm 4°F, and

^{- 30-70%} RH

⁻ Room 32, Bldg E3300 (rabbit holding room) temperature was to be 65 ± 5 °F, and

d - 30-70% RH

⁻ On 2 Mar 97, Sunday, the outdoor temperature rose to about 72 °F with high humidity. This slight overage in humidity range of 5% was a temporary effect and would have no adverse effects on the rabbits. During the cold months, the building chillers are not operational so unusually mild/humid days make it difficult to control humidity with 100% fresh makeup air intake.

documentation, is reduced to a Category III toxic substance, according to guidelines established in the Federal Register and Code of Federal Regulations (CFR) 49 (otherwise known as Department of Transportation (DoT) 49).

• The HD/water product as configured and evaluated herein is less toxic than a Category III material as described in CFR 49. Therefore, the HD/water product should pose no serious health risk to workers provided they exercise normal safety procedures for working with materials of a high pH such as 12 plus.

Blank

LITERATURE CITED

- 1. U.S. Army Chemical Demilitarization and Remediation Activity. Detailed Program Plan and Methodology for Developing Alternative Technologies in Chemical Demilitarization, 5 December 1994, Aberdeen Proving Ground, MD.
- 2. Drasser, C.; <u>Chemical Agent Data Sheets, Volume I,</u> EO-SR-74001, Edgewood Arsenal, Aberdeen Proving Ground, MD, December 1974, UNCLASSIFIED Report (AD B028 222L).
- 3. "Alternative Technologies for Agent Disposal: Neutralization Followed by Biodegradation of HD," <u>Edgewood</u> <u>Quarterly</u> No 8, pp 7-8, June 1996.
- 4. <u>Code of Federal Regulations</u>, 49 CFR (Transportation), Subpart D-Definitions, 173, 132, Class 6, Division 6.1 Definitions, pp 500-501, October 1, 1993.
- 5. Durst, H.D.; Sarver, E.W.; Yurow, H.W.; Beaudry, W.T.; D'Eramo, P.A.; Jackson, D.M.; Salem, H.; Samuel, J.B.; Szafraniec, L.L.; Ward, F.P.; and Ward, J.R.; Support for the Delisting of Decontaminated Liquid Chemical Surety Materials as Listed Hazardous Waste from Specific Sources (State) MD02 in COMAR 10.51.02.16-1, CRDEC-TR-009, U.S. Army Chemical Research, Development and Engineering Center, Aberdeen Proving Ground, MD, November 1988, UNCLASSIFIED Report (AD A272 648).
- 6. Manthei, J.H.; Lawrence-Beckett, E.; Heitkamp, D.H.; James, J.T.; Cameron, K.P.; Bona, D.M.; Moore, R.D.; and Vickers, E.L.; Toxic Hazard Evaluation of Decontaminated/
 Neutralized Chemical Surety Materials Waste at the U.S. Army Chemical Research, Development and Engineering Center, CRDEC-TR-146, U.S. Chemical Research, Development and Engineering Center, Aberdeen Proving Ground, MD, November 1990, UNCLASSFIED Report (AD B152 703).
- 7. Manthei, J.H., Heitkamp, D.H., Way, R.A., and Bona, D.M., Toxicological Evaluation/Verification of Decontamination Procedures/Products from Alternative Technologies for Chemical Demilitarization: Products of Mustard (HD) Neutralization and/or Hydrolysis, ERDEC-TR-419, U.S. Army Edgewood Reseach, Development and Engineering Center, Aberden Proving Ground, MD, August 1997, UNCLASSIFIED Report.

Blank

APPENDIX A

ANALYSIS DATA FOR HD/WATER REACTION BY-PRODUCT

NOTE: These analytical data are supplied as information only and are not to be construed as final data. Only the final analytical report may be cited as final documented chemistry data. This data will be reported by Analytical Chemistry Team.

	ANALYTICAL REQL	JEST AND RESULTS	
	EASE FILL IN NAME AND ADDRI		DATE
SCBRD-ENM-S	ngn evatuation ead	•	2/11/97
E3510			PHONE NO. X2801
FROM: Analytica	l Chemistry Team		
ANALYSIS OF (structu	re or further description IF UNCLAS	SSIFIED on reverse side)	
IID/Water I	Reaction Products		
SAMPLE NO.		****	
M12	-D1-101-HW-0427		
TOXIC NON-TOXIC	MOL WT.	EMP. FORM	
DETERMINE. Low le	vel HD - 0.2ug/ml in solution	n.	
RESULTS AS FOLLOWS I	ev: Sumpter, K. B. Janes, L. G.		
Extraction.			
Followed procedur	es outlined in the modified a	ATP method IIN-01.	
Analysis.			
Sample M12-D1-10 to contain no IID.	91-0427 was analyzed by the	modified ATP method	f HN-01 and found
	astrument Detection Level	- 0.099ppm	
N	Sethod Detection Limit - 0.	004ppm	
			•
		•	
	1		
115° 4 8 6 9 9 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		1 1500	
EAM LEADER Micha	el W. Elby	183000	DATE

SCBRD Form 49, 15 Jun 94 replaces SMCCR Form 49, 1 May 85 which is obsolete.

ANALYTICAL REQUES	DATE
D: (REQUESTOR, PLEASE VILL IN NAME AND ADDRESS)	19 Fcb 97
CBRD-ENM-S, R.S. Lindsay	PHONE NO.
esign Evaluation Lab, E3510	X2801
ROM: Analytical Chemistry Team (ACT)	
NALYSIS OF (structure or further description IF UNCLASSII	PED on reverse side)
HD/H ₃ O Reaction Product	·
AMPLE NO.	OTH01897-2
M-12-D1-103-HW-0427	EMT. FORM.
OXK NON-TUXIC MOL WI.	
etermine:	
Thiodiglycol (TDG) concentration by	CT Method 030
RESULTS AS FOLLOWS BY: B. S. Ince	·
TDG concentration = 23,600. mg/L	
*	
·	
	\mathcal{O}_{α}

*

APPENDIX A

27

ANALYTICAL REQUEST AND RESUL	TS ·
TO: (REQUESTOR, PLEASE FILL IN NAME AND ADDRESS) R. S. Lindsay, Design Evaluation Lab	DATE 2/11/97
SCBRD-ENM-S E3510	PIIONE NO. X2801

FROM: Analytical Chemistry Team

ANALYSIS OF (structure or further description IF UNCLASSIFIED on reverse side)

HD/Water Reaction Products

SAMPLE NO.

M12-D1-103-IIW-0427

TOXIC

NON-TOXIC

MOL WT.

EMP. FORM.

Toxicity Undetermined

DICTERMINE:

Organics

RESULTS AS FOLLOWS BY: L. Janes/21Feb97

D. Rohrhaugh/13Feb97

Extraction.

Twenty-five milliliters of the aqueous sample was filtered, pH adjusted and extracted with two millilters of chloroform. The extracted sample was submitted for analyses.

Analysis.

See attached sheets for organic characterization.

Organic composition using GC/FID consisted of the following compounds:

Compound	Retention Time	Conc. (in extract)	Conc. (in squeens)
1,4-Thioxane	4,218min	0,236mg/mL	37.76ррт
1,4-Dithiane	7.780min	1.769mg/mL	283.04րթա
TDG	9.746min	0.036mg/mL	5.76ppm
HO-CU2CIE-S-C3/ECR2-S-CH2CH2-OH	16.895min	0.038mg/mL	6.08ppm
110-C112C111-S-CEDC112-O-C112CI Z-S-C112CI Z-OH	20.092min	0.023mg/mL	3.68ppm
no cincur-s-curcur-s-curcur-s-curcur-ou	22.593min	0.074mg/mL	11,84ppm
	1 100.1	M	

SCBRD Form 49, 15 Jun 94 replacés SMC

Michael W. Ellzy

May 85 which is obsolete.

3 Mar 1997

TEAM LEADER

ERDEC;# 4

GC/MS/CI Characterization of M12-D1-103-HW-0427 CHCl₃ Extract

Scan No	RT (min)	MW	Compound	Area %
256	3:01	104	1,4-Thioxane	6.87
280	3:18	104,106	CH ₂ =CHSCH ₂ CH ₂ OH, EtSCH ₂ CH ₂ OH	2.36
320	3:46	182	CI2CHOCHCI2	0.17
32 7	3:51	142	CICH₂CH₂OCH₂CH₂CI	0.16
332	3:55	132	Unknown	0.48
357	4:12	132	Unknown	0.22
367	4:19	132	Unknown	0.26
, 411	4:50	120	1,4-Dithiane	74.3
424	5:00	118	Unknown	0.07
446	5:15	134	Unknown	0.18
461	5:26	156	CICH=CHSCH₂CH₂CI or Isomer	0.72
503	5:55	122	Thiodiglycol	8.04
523	6:09	148	Unknown	0.26
541	6:22	148	Unknown	0.28
579	6:49	187	RSCH=CH₂	0.29
582	6:51	189	RSEt	0.51
605	7:07	132	Unknown	0.34
710	8:21	164	CH2=CHSCH2CH2SCH2CH2OH	2.42
727	8:33		Unknown	0.16
731	8:36	162	Unknown	0.17

29 APPENDIX A


RCV BY: CHEM RD&E CENTER	; 3-10-97 ; 3:25PM ;	410 671 1846 →	ERDEC;# 5
--------------------------	----------------------	----------------	-----------

829	9:45	222	Diethylphthalate	0.34
931	10:57	206	DCCDI	0.37
946	11:07	247	RSCH₂CH₂SCH=CH₂	0.09
953	11:12	208CH ₂ =0	CHSCH₂CH₂OCH₂CH₂SCH₂CH₂OH	0.17
994	11:41	288	RSR	0.40
1145	13:27	224	DCCDI Urea	0.38

R = 2-diisopropylaminoethyl
DCCDI = Dicyclyclohexylcarbodiimide

Run obtained 13 Feb 97 on TSQ-7000 (File m12ci)

Note: Presence of VX degradation products and DCCDI suggests reactor may have been used for VX prior to this run without complete cleaning.



Blank

APPENDIX B

SEROLOGICAL AND BOTH GROSS AND HISTOPATHOLOGICAL DATA FOR QUALITY ASSURANCE/QUALITY CONTROL RATS AND RABBITS

SECTION A: HEALTH EVALUATION OF RATS AND RABBITS PRE-EXPERIMENTAL (QUARANTINE)

REQUEST FOR GROSS NECROPSY/LAB PROCEDURES

Post Test Screening

[X]Pretest Screening

Date of Procedure: 2/13/97

Location: Necropsy/3222

Number of animals needed: 2 rats

Time: 9 AM

Investigators Name: Jim Manthei

Phone Number: 5-3727

Protocol Number: 97-314

Delivery Date: 2/12/97

Species\Strain: Rat/Sprauge Dawley

Source: Charles River/Canada Rm 15

If there is a problem with above scheduled times please contact MAJ Newt Foster (5-3431) or a Vet Support Member (5-2273). Please have these animals clearly marked as the animals for these procedures by the morning of the scheduled procedures.

COPIES FURNISHED TO: M.Foster, J Rickerl, J Scotto, J Manthei

PMENT NO. 19713-3

	SOURCE						
	Charles River RM 15	INVESTIGATOR		PROTO	COL NO.PROJECT		
	CIACUS ROOF EM IS	J. MANTHET		97-314			DATE RECEIVED
	SPECIES	BREED/STRAIN			416,11		2/12/97
	lat	SDAGUA	ge lauly	SEX	AGE		ANIMAL I.D. NO.
	DATE/TIME OF DEATH	Teame	ge wany	1 6			006/6
	2113/97	DATE TIME OF	NECROPSY 0	PROSECT	TOR		00016
		2113197			FOSTER:		
	HISTORY			10	TWICK		
	l				DISPOSITION		CONDITION
					A. SCHEDULE	ED	CA. FRESH
	1				B. SPONTANE	OUS DEATH	B. AUTOLYZED
	1						
	1		•		PUOTOGO		
					PHOTOGRAPHS		SEROLOGY PO
	WEIGHT BODY	HEART			BACTERIOLOG	Y 🗹	PARASITOLOGY P
	1.74	"EAR!	LUNGS	LIVER		KIDNEY	
	1.31						GONADS
	ORGANS/TISSUES 1			22.222.2		34	
	BRAIN			CHOSS E	XAMINATION:		
•	SPINAL CORD						
1	PITUITARY GLAND						•
1	PERIPHERAL NERVE						
1	EAE NEWAE WENAE						
+			 				
+	ADRENAL GLAND		 			•	
+			 	noth	na some	a win	00 1- 0
+	ESOPHAGUS		+	-	4 ,000	w Char	the found
+	THYROID W/PARATHYROID		+	CO)	recross	4	0 .
+	SALIVARY GLAND		 		•	7-	ble found
+	MANDIBULAR LN			÷() = -	-0 0	
+	LUNGS AND BRONCHI			unas	c ape	Cheek	- Showed
+	HEART		 	Steal V	LUNCE 10		showed kable withouse
+	AORTA				200	man	rable
╀	THYMUS						,
L	SPLEEN			6000			,
L	KIDNEYS			fee	· lease	dono a	w.thousa
L	LIVER			Maa	afine		ac / recal
	GALL BLADDER			رکست	parame.		
_	STOMACH				J		1
	SMALL INTESTINE					•	1
	PANCREAS						i
_	LARGE INTESTINE						1
_	URINARY BLADDER					•	
_	TESTES						
	PROSTATE						1
_	DVARIES	++++				•	
-	ITERUS				•.		1
_	ERVIX			•			i
A	AMMARY GLAND						1
7	HIGH MUSCLE						i i
S	TERNUM (bone marrow)	T					
н	ARDARIAN GLAND					•	
1	ONGUE						1
	URBINATES				*		1
SI	UN						
							i
_		+					
1		+					
7							
7				/	1 2	1 1	
7					VI. X	11/	7 :511
-				/	luston,	me	> /) / //
-	THE TAX -			-		, ,	

SOURCE	IN	ESTIGA	TOR									
Charles River Rom 1	'''' لـ	1	-	- A .		PROTOC	OL NO.	PROJECT		DAT	E RECE	97
CHOCOS PLUCY CON	1 >	<u> V</u>	(AN)	THE	=7	G	7-	314			2/12	197
SPECIES	BRI	EED/STE	MIAIN	_	^	SEX	-			-	-112	- / /
RAT	1<1	Ja.	ON 6	17	wly	SEX S)	AGE		ANIA	MAL I.D.	NO.
DATE/TIME OF DEATH	136	nue	 	<u> </u>	ww	+ 1 -7				0	12/1	2
		TE/TIME		ECRO	PSY (PROSECT						
2113/97	12	13/97	_			14	Fn:	SIER				
HISTORY			<u> </u>			10	,	71				
1						-		OSITION		- 1	CONDI	TION
							(4)	CHEDULE	D		A. FR	ESH
							2	THER:	DO3 DEX		D. AL	TOLYZED
								•		I		
							PHOT	OGRAPHS			SEROLO	NCW -
												~
WEIGHT 7/BODY	HEAR	-					BACT	ERIOLOG	YQ_		PARASI	TOLOGY A
IGRAMS)	HEAR	•		LUN	iG\$	LIVER			KIDNE	Y		GONADS
, ,,			_				•					
ORCANICATION						GROSS E	YANNA	AZION				
ORGANS/TISSUES BRAIN						_	~~~***********************************	- HUN:				
		LI				1.		•				
SPINAL CORD						7.				•. •		
PITUITARY GLAND				T		1		-				•
PERIPHERAL NERVE						-						
EYE				1		-	. ^	•			(,	\ 0 0 -
ADRENAL GLAND			_	_		- No	JA SA	may	10	ma	uke	Die
TRACHEA			+-	+		- I		4.1	1000	4-0	N.	•
ESOPHAGUS			+	+		41 160	صمد	- ac	Yuc	M	~~~	-
THYROID W/PARATHYROID	-		+-	+		41 0						
SALIVARY GLAND	_		+	+		- II	_	_1				• •
MANDIBULAR LN	-		-	-		μ α	wax	-tap	re Ci	heel	L A	bowed
LUNGS AND BRONCHI	-		+-	-		4 va	نهم	ne /	10 .44 4	ما ه	- we	
HEART	1		+-	+		վ: ∵~		~~~ <i>/</i>		UCK	موس	
AORTA	-		+-	-		-						
THYMUS	-			-		1 1	a 0	7	_		,	10-
SPLEEN	-		+-	-		1 /2	عمد	. Ca2	^	\mathcal{M}	و ر	m nouse
KIDNEYS	+		+-	-		1 100	9 0	ure	_			n/house
LIVER		-	+-			1 , ~	2					
GALL BLADDER	+	\rightarrow	+			4						
STOMACH	1-1		+			4						
SMALL INTESTINE	+ -		+			↓ .						
PANCREAS	1-1		+	-		J .						
LARGE INTESTINE	+	_	+-	-		1						
URINARY BLADDER	+		-			4						
TESTES	+-+		+	1		4						
PROSTATE	+		+-			1				•		1
OVARIES	+	-	-					2				1
UTERUS	+		+-			1						1
CERVIX	+		+	-								•
MAMMARY GLAND	+-	_	+			1						
THIGH MUSCLE	+		+-	\vdash		Į.						
STERNUM (bone marrow)	+-+	-	+			I						
HARDARIAN GLAND	+	-	-	\vdash		1						1
TONGUE	++		-									i
TURBINATES	+		+	\vdash								j
SKIN	+		+	\vdash \bot								İ
	++		+			·						1
	+		1			•						i
	+		+									
1 1 1 1 1 1 1 1	+-+		-									ì
						1					•	
			-				1	1 1	2	1 /	1 .	
			-				W	1. L	12	LX		DVM
								Wolor	1 د	ne	~	UM

REQUEST FOR GROSS NECROPSY/LAB PROCEDURES

[X]Pretest Screening	Post Test Screening						
Date of Procedure: 2/13/97	Location: Necropsy/3222						
Number of animals needed: 2 rabbits	Time: 9 AM						
Investigators Name: Jim Manthei	Phone Number: 5-3727						
Protocol Number: 97-314							
Species\Strain: Rabbit (NZW)/c eartags	Source: Covance/Denver PA						
If there is a problem with above scheduled times please contact MAJ Newt Foster (5-3431) or a Vet Support Member (5-2273). Please have these animals clearly marked as the animals for these procedures by the morning of the scheduled procedures.							
COPIES FURNISHED TO: M.Foster, J Ricke	erl, J Scotto, J Manthei						

SOURCE	INVESTIGATOR					
COVANCE DENVER PA		. 1	PROTOC	OL NO PROJECT	10	ATE RECEIVED
SPECIES	3		97-314			Divisor
	BREED/STRAIN		SEX			2/11/97
RABBIT	NZW		*** ¢	AGE	, AI	NIMAL I.D. NO.
DATE/TIME OF DEATH			+		-	16/43214
2/13/97	DATE/TIME OF	VECROPSY	PROSECT	OR		1 1301
HISTORY	2113/97		N	FOSTER	•	
AISTORY	-					
				DISPOSITION		CONDITION
				B. SPONTANE	ED FOUR DEATH	A FRESH
1				C OTHER:	DEATH	B. AUTOLYZED
				PHOTOGRAPHS		SEROLOGY TY
WEIGHT						
	HEART	LUNGS		BACTERIOLOG	Y 100	PARASITOLOGY D
15 2. 35 CANADI		201103	LIVER		KIDNEY	GONADS
					1	
ORGANS/TISSUES 1			GROSS EX	XAMINATION:		
BRAIN						1
SPINAL CORD		+				1
PITUITARY GLAND		 				
PERIPHERAL NERVE	+					į.
EYE						1
ADRENAL GLAND	 					1
TRACHEA				_		
ESOPHAGUS	+				•	
THYROID W/PARATHYROID			Neda	we re	marko	able
SALIVARY GLAND				0 - 1		y cu/house
MANDIBULAR EN			four	a w v	levas	u l
LUNGS AND BRONCHI	 		U		-100	7.
HEART			Λ		_	1.
AORTA	 		peca	Q lest	done	chouse !
THYMUS			U		•	
SPLEEN			resu	Its ne	a adure	1
KIDNEYS					7 - 3	_
LIVER					•	. 1
GALL BLADDER						
STOMACH						i
SMALL INTESTINE				,		į.
PANCREAS						
LARGE INTESTINE						1
URINARY BLADDER						
TESTES	\vdash					
PROSTATE					•	
OVARIES				*		
UTERUS						
CERVIX			•			
MAMMARY GLAND						i
THIGH MUSCLE						
STERNUM (bone marrow)						
HARDARIAN GLAND						
TONGUE						I
TURBINATES						
SXIN						
						
						
			/	<i>t</i> ,	a 1	
			(N/1 H	- 1	DOVM
		+		VIIII	- tot	- AVM
				1 www	-/11/0	

SOURCE	INVESTIGATOR						
COU ANCE DENYER	11 A4 A 4			OL NO.JPROJECT	ł	DATE RE	CEIVED
SPECIES		11701	97-314			الم	11/97
	BREED/STRAIN	_	SEX	7 AGE		ANIMAL I	.D. NO.
PASSIT	NZ	ω	0			#7/	63217
DATE/TIME OF DEATH	DATE/TIME OF I	ECROPSY	PROSECT	'08		- 1	I. I
2113/97	2113/97		PROSECT		STER		-
HISTORY			<u> </u>	14 .0	31(1		
				DISPOSITION	_		DITION
				8. SPONTANE			FRESH AUTOLYZED
				C. OTHER:	OUL DEAT	" "	200061250
1						- 1	
				PHOTOGRAPHS		SERC	DLOGY D
				BACTERIOLOG	۲ (ک)	PARA	SITOLOGY EX
IGRAMS)	HEART	LUNGS	LIVER				
(GRAMS) 2.77		2000	FIVER		KIDNEY		GDNADS
			<u> </u>				
ORGANS/TISSUES			GROSS E	XAMINATION:			
BRAIN	TITT	T T T T	•				
SPINAL CORD	+	 					
PITUITARY GLAND	 	 	i				
PERIPHERAL NERVE	1 1 1 1						
EYE	111	 				-	
ADRENAL GLAND		 	10-10		1.	100	e in house ve.
TRACHEA			"Done	weg row	nau	رسسر	e ·
ESOPHAGUS		 	Han	nel in	Ner	46/15	ч
THYROID W/PARATHYROID			U		,	-01	4
SALIVARY GLAND MANDIBULAR IN							9
LUNGS AND BRONCHI				_	_		' Lu
HEART			Lec	al tes	t d	one	in house
AORTA			· · ·	0 1 -	A 4 -	- 1	
THYMUS			100	ults	Villa	tam	ve.
SPLEEN					(7	
KIDNEYS .							·
LIVER				•			
GALL BLADDER	+	+					
STOMACH	 						
SMALL INTESTINE	++++	+					
PANCREAS	 	+ + - + 1					
LARGE INTESTINE	 	+-+			•		j
URINARY BLADDER	 	+					
TESTES	 	 					
PROSTATE		 				-	
OVARIES				2.			
CERVIX				,			
MAMMARY GLAND THIGH MUSCLE				•			
STERNUM (bone marrow)							1
HARDARIAN GLAND]
TONGUE							į
TURBINATES							1
SKIN							
							
							1
1 1 1 1 1 1	 						
				/ .	'n	1	$_{n}$
				(ΛI)	H	41	5 DVM
		 		- 1/11	dans	Mr.	$\sim \nu v \mu \perp$
				1000	0000	1 100	

DAAD0596P-4060

Our Code MV M718

Page 1

TO:

Major N. H. Foster USA APG SA

USA, ERDEC, SCBRD-RTL

Bldg. E3222

APG-EA, MD 21010-5423

FROM:

Robert L. Peters, Ph.D. Microbiological Associates

9900 Blackwell Road Rockville, MD 20850

(301) 738-1000

DATE:

February 21, 1997

2 rabbit and 2 rat sera SPECIMEN:

RECEIVED: February 14, 1997

RESULTS: None of the tests were positive.

Sample ID	CARB	IFA E.cun	Tyz-Rb	MHA T.cun
9711-1 9711-2	-	-	-	-

			EL:	ISA		
Sample ID	CARB	MPu1	PVM	RCV/SDA	Reo	Sendai
9711-3	0.01	0.00	0.00	0.01	0.00	0.02
9711-4	0.01	0.01	0.00	0.01	0.00	0.00

Sample ID	LCM	FA Parvo	H H-1	HAI KRV
9711-3	_	_	_	-

ELISA: Positive value is >= 0.17 OD units

IFA : + = positive; - = negative

Numerical value = positive; - = negative HAI MHA Numerical value = positive; - = negative



COMPREHENSIVE ANIMAL HEALTH SERVICE Microbiology Laboratory

DATE RECEIVED: February 14, 1997

DATE REPORTED: February 24, 1997

REPORT TO:

REPORT FROM:

Major N.H. Foster

Anton M. Allen, DVM, Ph.D. AWA

USA ERDEC

Director of Veterinary Services

SCBRD-RTL/ N.H. Foster BLDG E3222

APG-EA, MD 21010-5423

CAHS LOG#	SPECIMEN DESIGNATION	SOURCE	ORGANISM ISOLATED
B1006-1	Rabbit ID# 9712-1	Oropharyngeal Swab	Negative*
B1006-2	Rabbit ID# 9712-2	Oropharyngeal Swab	Negative*

^{*}Primary bacterial pathogens were not detected by aerobic culture techniques.

NOTE:

Coagulase negative <u>Staphylococcus</u> sp., Group D alpha streptococcusenterococcus, <u>Escherichia coli</u>, and <u>Oligella ureolytica</u> were isolated. These bacteria are common components of the rabbit microflora.



PATHOLOGY REPORT

ACCESSION NO: CAHS-3959

DATE RECEIVED: February 14, 1997
DATE REPORTED: March 10, 1997

SOURCE: Major N.H. Boster

USAA ERDEC

SCBRD-RTL/N.H. Foster

BLDG E3222 APG-EA, MD

P.O. DAAD05-96-P-4060

DESCRIPTION:

Rabbit Tissue, ID # 9713-1, CAHS-3959 (1)
Rabbit Tissue, ID # 9713-2, CAHS-3959 (2)
Rat Tissue, ID # 9713-3, CAHS-3959 (3)
Rat Tissue, ID # 9713-4, CAHS-3959 (4)

Late of the second of the

RESULTS:

CAHS-3959 (1)

Tissues examined microscopically: Heart, lung, liver, kidney, adrenal, spleen, pancreas, small intestine (x3), stomach, cecum, colon, eye and lacrimal gland, skin, nasal passages

Gross findings: N.A. Formalin-fixed tissues received

Microscopic findings:

医大型乳腺性 化二氯甲磺胺 雅士人

Liver- necrosis, focal, minimal (single lesion)

CAHS-3959 (2)

Tissues examined microscopically: Heart, lung, liver, kidney, spleen, pancreas, small intestine (x2), cecum, colon, stomach, brain, eye, lacrimal gland, middle ear, nasal passages

Gross findings: N.A. Formalin-fixed tissues received

Microscopic findings:

Kidney- mineralization, tubular, minimal

Laboratories located in Bethesda and Rockville, Maryland and Stirling, Scotland.

APPENDIX B

PATHOLOGY REPORT ACCESSION NO: CAHS-3959

CAHS-3959 (3)

Tissues examined microscopically: Heart, lung, trachea, thymus, liver, kidney, spleen, pancreas, small intestine, cecum, colon, brain, eyes, lacrimal glands, brain, middle ears, nasal passages, testicle, epididymus, seminal vesicle, bladder

Gross findings: N.A. Formalin-fixed tissues received

Microscopic findings: No lesions found

CAHS-3959 (4)

Tissues examined microscopically: Heart, lung, trachea, liver, kidney, spleen, pancreas, duodenum, ileum, cecum, colon, ovary, fallopian tube, uterus, bladder, brain, middle ear, eye, lacrimal gland, salivary gland, nasal passages

Gross findings: N.A. Formalin-fixed tissues received

Microscopic findings: No lesions found

Comment: The above minimal lesions are considered to be incidental and not indicative of infection by adventitial agents.

Anton M. Allen, DVM, Ph.D.

Director of Veterinary Services

SECTION B: HEALTH EVALUATION OF RATS AND RABBITS POST EXPERIMENTAL (14-DAYS)

REQUEST FOR GROSS NECROPSY/LAB PROCEDURES

[]Pretest Screening [x] Post Test Screening

Date of Procedure: 3/6/97 Location: NECROPSY /3222

Number of animals needed: 2 Time: AM

Investigators Name: J MANTHIE Phone Number: 5-3724

Protocol Number: 97-314 Delivery Date: 2/12/97

Species\Strain: RAT/ SPRAUGE DAWLEY Source: CHARLES RIVER (Canada room 15)

If there is a problem with above scheduled times please contact MAJ Newt Foster (5-3431) or a Vet Support Member (5-2273). Please have these animals clearly marked as the animals for these procedures by the morning of the scheduled procedures.

COPIES FURNISHED TO:

SOURCE	INVESTIGATOR		*****	24 242 222 222		
CHARLES RIVER		J. MANTHET		OL NO MROJECT - 314	D	ATE RECEIVED
SPECIES	POSSO/ITOAN	BREED/STRAIN				2/12/97
PAT	1			SEX AGE		NIMAL I.D. NO.
DATE/TIME OF DEATH	SPERIOGE [0			∞පි/ප
3/6/97	DATE/TIME OF	ECROPSY	PROSECT			
	3/6/97			N for	STER	
HISTORY			·	DISPOSITION		CONDITION
				ECHEDULI	ED	A FRESH
1				B. SPONTANI C. OTHER:	EOUS DEATH	B. AUTOLYZED
1				- 0		
				PHOTOGRAPH		SEROLOGY (
				BACTERIOLOG	· -	-
WEIGHT BODY	HEART	LUNGS	111400	BACTERIOLOG		PARASITOLOGY CX
IGRAMSI 28		201103	LIVER		KIDNEY	GONADS
ORGANS/TISSUES			GROSS E	XAMINATION:		
BRAIN						
SPINAL CORD						
PITUITARY GLAND						
PERIPHERAL NERVE				•		
EYE			Need	aury i	rote wo	say found
TRACHEA			01	D 1	کست می می	11.00
ESOPHAGUS			Cul	sure v	and l	
THYROID W/PARATHYROID	+		V	o bear	ma z	recol
SALIVARY GLAND					· · · /)	
MANDIBULAR LN			١؞ۄ	200 - V	100.	
LUNGS AND BRONCHI	+++-	+	17		ناجي ا	
HEART	 		24			•
AORTA	 	+ + -	/~~	نظم ساعة	apers	ez-neg
THYMUS		+	t	apa Tag	on - t	a T
SPLEEN				•	, •	+
KIONEYS						
LIVER						
GALL BLADDER						
STOMACH SMALL INTESTINE						
PANCREAS						
LARGE INTESTINE						
URINARY BLADDER						
TESTES	+					
PROSTATE		 			•	
OVARIES				5		
UTERUS				,		·
CERVIX						,
MAMMARY GLAND						
THIGH MUSCLE						
STERNUM (bone merrow) HARDARIAN GLAND						
TONGUE						
TURBINATES			,			
SKIN						
	+					I
	+++	1-1-1				
		1 1 1				
	1 1 1	+-+				1
		 		1 -1		,
		1 - 1 - 1		VVI. A	11	5 DVM
				/ Wewla	> AM	ושב

SHIPMENT NO. 97-14-4 9716-4

SOURCE	MANGERICATION		
CHARLES RIVER	INVESTIGATOR	PROTOCOL NOUPROJECT	DATE RECEIVED
SPECIES	J. MANTHET	97-34	L MECELVED
	BREED/STRAIN		2112/97
RAT	FRANCE DAWLEY	SEX Q AGE	ANIMAL I.D. NO.
DATE/TIME OF DEATH		+	015 15
3/6/97	DATE/TIME OF NECROPSY	PROSECTOR	1.0
	3697	NFO	5760
HISTORY			010
		DISPOSITION	CONDITION
		8. SPONTANI	A)FRESH
I		C. OTHER:	OUS DEATH B. AUTOLYZED
i	,		
		PHOTOGRAPHS	SEROLOGY K
WEIGHT	·	4	
BODY	HEART LUNGS	BACTERIOLOG	PARASITOLOGY 5
1GRAMS) 2.3	cours	LIVER	KIDNEY GONADS
ORGANS/TISSUES		GROSS EXAMINATION:	
BRAIN			- · · · · · · · · · · · · · · · · · · ·
SPINAL CORD			
PITUITARY GLAND			
PERIPHERAL NERVE			
EYE		•	į
ADRENAL GLAND		haddeng not	La 10-
TRACHEA		in nector	range found
ESOPHAGUS		•	
THYROID W/PARATHYROID		no Jusco	2 - 2
SALIVARY GLAND		no Jusio	touna.
MANDISULAR LN			
LUNGS AND BRONCHI		Jacal - 1	uq
HEART		U .	0.
AORTA		Attensor	epure neg
THYMUS		1	1 2
SPLEEN		tage test	- near
KIDNEYS			+
LIVER			
GALL BLADDER			
STOMACH			
SMALL INTESTINE		•	
PANCREAS			
LARGE INTESTINE			
URINARY BLADDER			
TESTES			
PROSTATE			
OVARIES			. 1
UTERUS		*	1
CERVIX			1
MAMMARY GLAND			
THIGH MUSCLE			1
STERNUM (bone marrow)			i
HARDARIAN GLAND			·
TONGUE			
TURBINATES			•
SKIN			i
	1.4		1
			· 1
			i
+++++			1
++++		[1	11
 		W1. #	John DVM
		Motor	MY DVM

REQUEST FOR GROSS NECROPSY/LAB PROCEDURES

[]Pretest Screening [x] Post Test Screening

Date of Procedure: 3/6/97	Location: NECROPSY /3222
Number of animals needed: 2	Time: AM
Investigators Name: J MANTHIE	Phone Number: 5-3724
Protocol Number: 97-314	Delivery Date: 2/12/97
Species\Strain: RABBIT(NZW)	Source: Covance/Denver PA
If there is a problem with above scheduled times pleas Vet Support Member (5-2273). Please have these anim procedures by the morning of the scheduled procedure	mals clearly marked as the animals for thes
CODIES ELIDATISTED TO:	



COMPREHENSIVE ANIMAL HEALTH SERVICE Microbiology Laboratory

DATE RECEIVED: March 7, 1997

DATE REPORTED: March 12, 1997

REPORT TO:

Major N.H. Føster

USA ERDEC

SCBRD-RTL/ N.H. Foster

BLDG E3222

APG-EA, MD 21010-5423

REPORT FROM:

Anton M. Allen, DVM, Ph.D. AW

Director of

Veterinary Services

CAHS LOG#	SPECIMEN DESIGNATION	SOURCE	ORGANISM ISOLATED
B1024-1	Rabbit ID# 9715-1	Oropharyngeal Swab	Negative*
B1024-2	Rabbit ID# 9715-2	Oropharyngeal Swab	Bordetella bronchiseptica

*Primary bacterial pathogens were not detected by aerobic culture techniques.

NOTE:

Staphylococcus aureus, Group D alpha streptococcus-enterococcus, and Bacillus sp. were also isolated. These bacteria are common components of the rabbit microflora.

SOURCE	INVESTIGATOR						
COVANCE DENVER PA		-1		OL NOJPROJECT		DATE REC	EIVED
SPECIES	J. MAN	MEI	9	7-314		2/17	2192
RABBIT	BREED/STRAIN		SEX	AGE		ANIMAL I	
	NZW		9				
DATE/TIME OF DEATH	DATE/TIME OF	NECROPSY	anorres.			12/6	3219
316 97/	3/4/97		PROSECT	ON AN G	STER	•	
HISTORY				10.70	7316~		
				DISPOSITION		CON	DITION
			i	B. SPONTANE			FRESH
				C. OTHER:	OUT DEATH		AUTOLYZED
				•			
				PHOTOGRAPHS		SERO	LOGY A
		•		BACTERIOLOG	Y.	PARA	SITOLOGY AND
WEIGHT	HEART	LUNGS	LIVER				
IGRAMSI 260			FIVER		KIDNEY		GONADS
ORGANS/TISSUES			GROSS E	XAMINATION:			
BRAIN							
SPINAL CORD			!				
PITUITARY GLAND							
PERIPHERAL NERVE			210	٠ ٦.	- 10		^
ADRENAL GLAND			1 Gar	and non	بالمناضات	ydus	averd
TRACHEA			dur	son popular en pour	crops	ω	•
ESOPHAGUS			M	Laos in	Λ 3	20	
THYROID W/PARATHYROID			• • •	0.00	or you	N (Q)	
SALIVARY GLAND			1.	. ^			
MANDIBULAR LN			1/2	call - M	٩.		
LUNGS AND BRONCHI	╼╂╼╂╼┼		M	nia dan	0		
HEART	- - - -	+	~~	cal - no an Ser ipe Test	rapa	حو- ۲	way.
AORTA		+	te	LAST SQ	t -no	st do	ne
THYMUS		+		7			. —.
SPLEEN	+ + + + + + + + + + + + + + + + + + + +	+	,	•			
KIONEYS							
LIVER							
GALL BLADDER				-			
STOMACH SMALL INTESTINE							
PANCREAS							
LARGE INTESTINE							
URINARY BLADDER							
TESTES							
PROSTATE	+						
OVARIES	+++-			•			
UTERUS	+ + + + + -						
CERVIX							
MAMMARY GLAND	 						
THIGH MUSCLE							
STERNUM (bone marrow)					•		
TONGUE							
TURBINATES							
SXIN							
	+ - -						
	+++-						. 4
	+ + - -						
1 1 1 1 1 1 1	+++-						
	 			^ 1	, ,	4	
	+ +	 		Newl	× 1	/ -	1
	 	 		/ Weste	2) Tru) NN (

SHIPMENT NO. 9714- 1 9715- 3 9716-1

SOURCE	INVESTIGATOR						
COVANCE DENVERPA	1	-	PROTOC	OL NOJPROJECT	Di	TE RECEIVED	
SPECIES	J. MAN	MEI	97	97-314		2/12/97	
RABBIT	BREED/STRAIN		SEX	AGE	A1		
	NZW		5	47 1.D. NO.			
DATE/TIME OF DEATH	DATE/TIME OF A	ECOOSTY.			7	43218	
3/6/97	3/6/97	ECROPS Y	PROSECT				
HISTORY	1 14117			N FOST	EK		
				DISPOSITION		CONDITION	
				SCHEDULE	D	E FRESH	
				8. SPONTANE C. OTHER:	OUS DEATH	8. AUTOLYZED	
1	•			PHOTOGRAPHS		550010011	
					•	SEROLOGY DO	
WEIGHT CON BODY	HEART			BACTERIOLOGY	Y	PARASITOLOGY (22)	
IGRAMSI 307 BOBY .	75001	LUNGS	LIVER		KIDNEY	GONADS	
ORGANS/TISSUES 1			GROSS EX	KAMINATION:			
BRAIN	1	· · · · · · · · · · · · · · · · · · ·					
SPINAL CORD	+ + - - -					1	
PITUITARY GLAND	+	 					
PERIPHERAL NERVE	+	 	londi	ARCIA COA M	A A h = O =	1. 1.4.	
EYE	+	+	(20.00	THE PARTY OF THE	midro	y were reworthy.	
ADRENAL GLAND	+		WWW	tall and	not no	reworder.	
TRACHEA	+		mb	esions.		4	
ESOPHAGUS	 					. 1	
THYROID W/PARATHYROID	+++-		1			1	
SALIVARY GLAND	+		0200	0 - 200			
MANDIBULAR LN	++-		7.	nd-neg nderap	₹-		
LUNGS AND BRONCHI	+		Ske	sousen	Se 1/20	- 100	
HEART	 	 	,		7		
ATROA	 - - -		Tape	- k aet s	- not c	lone	
THYMUS	 		•				
SPLEEN		 					
KIDNEYS	 	 					
LIVER							
GALL BLADDER						1	
STOMACH						I	
SMALL INTESTINE						. 1	
PANCREAS						i i	
LARGE INTESTINE					•	1	
URINARY BLADDER						İ	
TESTES							
PROSTATE					•	1	
OVARIES				*			
CERVIX						!	
MAMMARY GLAND						İ	
THIGH MUSCLE						į	
STERNUM (bone marrow)							
HARDARIAN GLAND					•		
TONGUE							
TURBINATES							
SKIN		•			•		
						1	
						. 1	
						Į.	
		1		, , -	1	n	
			1	MP	- 11	= DVM	
			Ì	1 Cuton	s mt	$\rightarrow MM$	
				1 000 00	200		

RODENT AND RABBIT LABORATORY ORDER FORM

Questions? Call 1-800-804-3586

	23————————————————————————————————————	P.O. NUMBER DAACOS-96-9-4060 DFAS ROCK ISLAND OPERATING LOCATION ATTN: DFAS-RI-FPV/ B. Border BLDG 68 ROCK ISLAND, ILL 61299-8000 (309) 782-9204/FAX (309) 782-9994 DATE SHIPPED 3-6-9-9-9-9-9-9-9-9-9-9-9-9-9-9-9-9-9-9-				
SAMPLE ID (Per vial Label)	SPECIES	TEST CATALOG #	CATALOG			
9715-1	RABBIT	80-610	ORDPHARNGEAL			
9715-2	RASSIT	80-610	SWAGS			
PLEASE PROVIDE THE FOLLOWIN DILUTED 1:5 - YES (IF NO, EXTRA CHARGE	NO	HEAT INACTIVATED:	M TEMPERATURE) EVE WITHIN 48 HOURS)			

See important Shipping Instructions and Terms and Conditions of Sale on the reverse.

RODENT AND RABBIT LABORATORY ORDER FORM

Questions? Call 1-800-804-3586

CUSTOMER NAME Major N	I.H. Foster		DAAD05 -96-P
SCBRD-RTL/ N.H.: Fost	er	DFAS ROCK IS	LAND OPERATING LOCATION
BLDG E3222		BLDG 68	I-FPV/ B. Border
APG-EA, MD 21010-542	23		ILL 61299-8000
PHONE (410) 671-3431		(309) 782-9204	FAX (309) 782-9994
AX# 14101 612-723	5	DATE SHIPPED	
105	Amples		3697
the animal(s) from which your te ease identify the pathogen :	st samples were derived is	known or suspected to be in	•
eise identily the patriogen			::
SAMPLE ID (Per vial Label)	SPECIES	TEST CATALOG #	CATALOG DESCRIPTION
9714-1	RABBIT	80-211	PASSIT ANTI BODY DOFILE
9714-2	PABBIT	80-211	RABBITTANTI BODY STOPILE
9714-3	RAT	80-219	latlevel II complete
9714-4	RAT	80-219.	PAT LEVEL II COMPLETE
9714-5	mouse	80-a18	MODE LEVELIT COMPLETE
9714-6	MOUSE	80-218	MOUSE LEVEL IT COMP
			·
			•
	•		
•			
CIAL INSTRUCTIONS:		·	
EASE PROVIDE THE FOLLOWIN		ODENT/RABBIT SERUM SAI	MPLES:
DILUTED 1:5 - YES X	NO	HEAT INACTIVATED:	•
(IF NO, EXTRA CHARGE	APPLIES)	YES X (SHIP AT ROC	
		NO(SHIP TO ARI	RIVE WITHIN 48 HOURS) applies)

See important Shipping Instructions and Terms and Conditions of Sale on the reverse.

52

RODENT AND RABBIT LABORATORY ORDER FORM

USA ERDEC SCBRD-RTL/ N.H. Fos BLDG E3222 APG-EA, MD 21010-54 PHONE (410) 671-3431 FAX # (410) 622-723 If the animal(s) from which your to please identify the pathogen:	23 25 OLES	P.O. NUMBER DAADO5-96-P-YO DFAS ROCK ISLAND OPERATING LOCATI ATTN: DFAS-RI-FPV/B. Border BLDG 68 ROCK ISLAND, ILL 61299-8000 (309) 782-9204/FAX (309) 782-9994 DATE SHIPPED 3/6/90 s known or suspected to be infected with a human pathogen				
SAMPLE ID (Per vial Label)	SPECIES	TEST CATALOG #	CATALOG DESCRIPTION			
9716-1	RABBIT	80-502	HY STO PARHOLOGY			
9716-2	RABBIT	80-502	HISTO PATHOLOGY			
9716-3	RAT	80-502	HISTOPATHOLOGY			
9716-4	RAT	80:502.	Histofathology			
9716-5	MOUSE	80-502	Histophorococy			
9716-6	MOUSE	80-502	1-tis70PARHOLOGY			
	·					
			·			
PECIAL INSTRUCTIONS:						
	Thron ATOLICA					
LEASE PROVIDE THE FOLLOWING DILLUTED 1:5 - YES			PLES:			
(IF NO, EXTRA CHARGE A		HEAT INACTIVATED: YES(SHIP AT ROOM TEMPERATURE)				
		NO(SHIP TO ARRIVE WITHIN 48 HOURS) [Extra charge applies)				

See important Shipping Instructions and Terms and Conditions of Sale on the reverse.

MIC

DAAD0596P-4060

Our Code MV M918

Page 1

TO:

Major N.H. Foster

USA APG SA

USA, ERDEC, SCBRD-RTL

Bldg. E3222

APG-EA, MD 21010-5423

FROM:

Robert L. Peters, Ph.D. Microbiological Associates

9900 Blackwell Road Rockville, MD 20850

(301) 738-1000

DATE:

March 12, 1997 2 rabbit, 2 rat and 2 mouse sera SPECIMEN:

RECEIVED: March 7, 1997

RESULTS: None of the tests were positive.

Sample ID	CARB	MHA T.cun		
9714-1 9714-2	_	-	<u>-</u>	_

Sample ID	CARB	MPul	PVM EL	ISA RCV/SDA	Reo	Sendai
9714-3	0.00	0.03	0.00	0.00	0.00	0.01
9714-4	0.01	0.03	0.00	0.01		0.01

Sample ID	LCM	IFA Parvo	H-1	HAI KRV
9714-3 9714-4	-	-	-	-

Our Code MV M918 Page 2 DAAD0596 DAAD0596P-4060

ELISA							
Sample ID	MAd-FL	CARB	Ectro	EDIM	GDVII	LCM	
9714-5	0.00	0.01	0.00	0.01	0.04	0.00	
9714-6	0.00	0.02	0.01	0.00	0.01	0.00	

			ELISA			IFA
Sample ID	MHV	MPul	PVM	Reo .	Sendai	MCMV
9714-5	0.00	0.01	0.01	0.03	0.00	-
9714-6	0.00	0.04	0.00	0.00	0.05	-

Sample ID	IFA Parvo	ĸ	HAI -	Polyoma
9714-5 9714-6	-	-	-	-

ELISA: Positive value is >= 0.17 OD units

IFA : + = positive; - = negative
- HAI : Numerical value = positive; - = negative



FINAL PATHOLOGY REPORT

ACCESSION NO: CAHS-3988

DATE RECEIVED: March 7, 1997

DATE REPORTED: April 9, 1997

SOURCE: Major N.H. Foster

USAA ERDEC

SCBRD-RTL/N.H. Foster

BLDG E3222 APG-EA, MD

P.O. DAAD05-96-P-4060

DESCRIPTION:

Rabbit Tissue, ID # 9716-1, CAHS-3988 (1)
Rabbit Tissue, ID # 9716-2, CAHS-3988 (2)
Rat Tissue, ID # 9716-3, CAHS-3988 (3)
Rat Tissue, ID # 9716-4, CAHS-3988 (4)
Mouse Tissue, ID # 9716-5, CAHS-3988 (5)
Mouse Tissue, ID # 9716-6, CAHS-3988 (6)

RESULTS:

CAHS-3988 (1)

Tissues examined microscopically: Reart, thymns, lung, trachea, kidney, liver, splean, pancreas, small intestine (x2), stomach, large intestine, brain, middle ear, eye, masal passages

Gross findings: N.A. Formalin-fixed tissues received

Microscopic findings: No significant lesions observed

Comment: The cerebral leptomeninges is heavily stained with hematoxylin, indicating that it may be calcified. The bronchial cilia appear slightly "bluish". If desired, the Warthin Starry silver stain can be used to determine whether CAR bacillus is present. CAR bacillus usually produces little or no histologic alteration in rabbits.

Laboratories located in Betheeda and Rockville, Maryland and Stirling, Scotland.

PATROLOGY REPORT

ACCESSION NO: CARS-3988

CARS-3988 (2)

Tissues examined microscopically: Heart, lung, traches, liver, kidney, spleen, pancreas, small intestine (x2), cecum, brain, middle ears, eye, nasal passages, salivary glands

Gross findings: N.A. Formalin-fixed tissues received

Microscopic findings:

Heart- aortic calcification, focal, minimal

CAHS-3988 (3)

Tissues examined microscopically: Heart, thymus, lung, trachea, liver, spleen, pancreas, small intestine, cecum, colon, stomach, brain, middle ears, lacrimal glands, masal passages

Gross findings: N.A. Formalin-fixed tissues received

Microscopic findings:

Lung- mineralization of the pulmonary artery, intimal, focal, (single small lesion)

Liver- lymphocytic infiltrates, focal, minimal

Ridney- mineralization, tubular, moderate

CAHS-3988 (4)

Tissues examined microscopically: Heart, lung, traches, thymus, liver, spleen, pancreas, small intestine, cecum, colon, stomach, brain, middle ears, eyes, lacrimal glands, nasal passages

Gross findings: N.A. Formalin-fixed tissues received

Microscopic findings:

Liver- lymphocytic infiltrates, perivascular, minimal Kidney- mineralization, tubular, moderate

- lymphocytic infiltrates, peripelvic, moderate

Comment: The above lesions are considered to be incidental and not indicative of infection by adventitial agents.

PATHOLOGY REPORT ACCESSION NO: CAHS-3988

CAHS-3988 (5)

Tissues examined microscopically: Heart, lung, liver, kidney, spleen, pancreas, small intestine, large intestine, brain, eyes, lacrimal glands, middle ears, masal passages

Gross findings: N.A. Formalin-fixed tissues received

Microscopic findings:

Liver- lymphocytic infiltration, perivascular, minimal (single focus) CAHS-3988 (6)

Tissues examined microscopically: Heart, lung, kidney, liver, small intestine, brain, middle ear, eyes and lacrimal glands, nasal passages

Gross findings: N.A. Formalin-fixed tissues received

Microscopic findings: No lesions observed

Anton M. Allen, DVM, Ph.D.

Director of Veterinary Services